



Buyer's Order

Nextran Truck Centers - Fort Myers
2150 Rockfill Road
Fort Myers, FL 33916
(800) 741-6225 | Fax (239) 334-4676

Salesperson: Matt Fleming

Date: 1/29/2019

CUSTOMER INFORMATION

Name: Lee County Solid Waste Division

Address: 10550 Buckingham Rd.

Phone: (239) 533-8929

City: Fort Myers

State: FL

Zip Code: 33905

County: Lee

TRUCK INFORMATION

Quantity	Year	Make	Model	VIN #
3	2019	Mack	PI64T	TBD
			2nd VIN	TBD
			3rd VIN	TBD
			4th VIN	-
			5th VIN	-

****See Addendum for Additional VIN #**

Body Details

Year	Make	Model	SERIAL #
-	-	-	-
-	-	-	-
		2nd Serial #	
		3rd Serial #	
		4th Serial #	-
		5th Serial #	-

IN ACCORDANCE WITH FLORIDA SHERIFFS STATE BID NO. FSA 18-VEH16.0

SPECIFICATION # 14, Tractor

FSA TRUCK SPECIFICATION

Price below reflects per unit

ORDER CODE	OPTION	PRICE
TOTAL TRUCK PRICE		\$ -
TOTAL BODY PRICE		\$ -
SUB TOTAL PRICE		\$ -

Sub Total: \$ 121,589.54

Disposal Fee: \$ -

Tire Tax Credit: \$ (185.42)

Total: \$ 121,404.12

P.O. Amount Due for all Trucks: \$ 364,212.36

PO Number: -

ALERT

I have read and understand the above. It is intended by my signature hereon that this be a binding, enforceable sales agreement.
I further understand that the terms and conditions that follow are a true and integral part of this agreement.

Purchaser's Signature

Date

1-29-19

Accepted by Nextran Truck Centers

Date

This agreement shall not be binding on Nextran Truck Centers until accepted by the General Manager.

TRANSFER TRACTOR
DEPARTMENT: **SOLID WASTE**

Florida Sheriffs Assn. Bid No. FSA18-VEH16.0
2019 **Mack** PI64T for Lee County Solid Waste

1/29/2019

BASE VEHICLE: 52,000 LB GVWR CAB & CHASSIS-4X6 TANDEM AXLE TRACTOR (ONLY)

MAK "PI" SERIES **"Pinnacle"**. MFG. STANDARD WHITE. BLACK FRAME & RUN GEAR

BASE No.: **SPECIFICATION #14**


BASE PRICE:

\$ 154,799.00

\$ 101,132.00

OPTIONS No.	DESCRIPTION	LIST	FSA PRICES
<i>Published Options + Up-Grades to Base</i>			
1001765	Engine Mack MP8-415		\$ 1,999.00
1361326	Transmission: Fuller 165210C		\$ 123.00
WKZLWF	Hydraulic Wetline Kit for Walking Floor Trailer FSA std.		\$ 7,000.00
2540401	Dual Differential Locking Rear Axles		\$ 953.00
1570001	Exterior Sun Visor Painted		\$ 243.00
1919007	PTO Preparation Kit - Factory Prewired		\$ 224.00
PI64T	Set Forward Axle		\$ 2,000.00
267/2503000	4 Rear Aluminum Wheels		\$ 564.00
2791300	Chrome front bumper		\$ 259.00
<i>Un-Published Options</i>			
		LIST	FSA PRICE
EXMF-BS1	Exhaust: Bright Finish Stack	\$ 93.00	\$ 73.00
1219001	Bug Screen: Black behind Grille	\$ 40.00	\$ 31.00
3180010	Battery Disconnect: Flaming River	\$ 139.00	\$ 108.00
CPPAD-OG	Open Grated Clutch Pedal	\$ 220.00	\$ 171.00
CLAS-MC	Clutch Air Assist	\$ 225.00	\$ 175.00
2401507	Front Axle FXL14.6 14,600# with Taper Leaf Springs	\$ 1,109.00	\$ 864.00
2411105	Front Axle Meritor Brand Brakes	\$ 37.00	\$ 29.00
RACWD-M	Meritor Dual Track/Dana Slectraq Rear Axles w/52" Spread	\$ 720.00	\$ 560.00
2531104	Meritor "S" Cam Rear Axle Brakes	\$ 50.00	\$ 39.00
2886093	93 Gallon 26" Aluminum Round-Type Fuel Tank LH Side	\$ 300.00	\$ 233.00
DRVA-AHC	Auto Drain Valve Main Air Tank, Lanyards on all other	\$ 79.00	\$ 62.00
AUXSW-2	Two (2) Extra, Dash Mounted, Switches, Illuminated	\$ 22.00	\$ 17.00
3303228	Fifth Wheel: Fontaine SL7LWB LH Release 24" Air Slide	\$ 221.00	\$ 172.00
APNOUTC	Aux. In Cab Pneumatic - Line Clean Out	\$ 69.00	\$ 54.00
GEXPYR	Exhaust Pyrometer Gauge	\$ 54.00	\$ 42.00
1540002	Two (2) Rectangular Single Trumpet Air Horns	\$ 103.00	\$ 80.00
1529045	Exterior Mirrors: Bulldog stylized, Heated + Motorized	\$ 490.00	\$ 382.00
AMIR-CLO	Rectangular Convex Proximity Mirror over RH Door	\$ 33.00	\$ 26.00
1963140	Driver Seat: H.Back Air; 4 Chamber Lumbar w/Premium Cov	\$ 538.00	\$ 419.00
9006363	Front Tires: Bridgestone 11R22.5 M853	\$ 282.00	\$ 220.00
9016406	Rear Tires: 4-Bridgestone 455/50R22.5 M835A Super Singles	\$ (62.00)	\$ (49.00)
<i>VENDOR & LOCAL OPTIONS</i>			
	Wetline Kit Configuration and Equip. per Lee Co. Add'l Reqmts.		\$ 3,412.46
	Fender Mtd. 8" Convex Spot Mirrors ea. Side		\$ 195.00
	Chrome Bug Deflector		\$ 421.00
	Merritt Saddle Step Box with Fold Away handle		\$ 950.00
	Parts and Service DVD		\$ 350.00
SUB TOTAL:			\$ 123,533.46
Less Additional Discount:			\$ (1,943.92)
(Tire Tax Credit):			\$ (185.42)
NET PRICE EACH, TOTAL:			\$ 121,404.12

John Schwind



VEHICLE:	AN or G Series			
DEALER:	Nexttran	Nexttran	Nexttran	Nexttran
ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$101,132.00	\$101,132.00	\$101,132.00	\$101,132.00

Order Code	Delete Options	All Zones
	Engine/transmission - specify	NA
	Engine/transmission - specify	NA
	Engine/transmission - specify	NA
	Engine/transmission - specify	NA
	Delete Option - Specify	NA
	Delete Option - Specify	NA
	Delete Option - Specify	NA
	Delete Option - Specify	NA
	Delete Option - Specify	NA

Order Code	Add Options	All Zones
1001757 ¹	Engine upgrade - specify <i>Mack MP7 395 HP</i> ¹	\$800.00 ¹
1001762 ¹	Engine upgrade - specify <i>Mack MP7 425 HP. Includes: Eaton Fuller 15210C Transmission</i> ¹	\$1,190.00 ¹
1001766 ¹	Engine upgrade - specify <i>Mack MP8 445 HP. Includes: Eaton Fuller 16210C Transmission</i> ¹	\$2,256.00 ¹
1001768 ¹	Engine upgrade - specify <i>Mack MP8 505 HP. Includes: Eaton Fuller 17210C Transmission</i> ¹	\$3,383.00 ¹
1001765 ¹	Engine upgrade - specify <i>Mack MP8 415 HP Engine. Includes: Eaton Fuller 16210C Transmission</i> ¹	✓ \$1,999.00 ¹
1361501 ¹	Transmission upgrade - specify <i>Mack mDrive TmD12AO</i> ¹	\$5,100.00 ¹
1361501HD ¹	Transmission upgrade - specify <i>Mack mDrive TmD12AOHD Heavy Duty</i> ¹	\$5,482.00 ¹
1361326 ¹	Transmission upgrade - specify <i>Eaton Fuller 15210C</i> ¹	✓ \$123.00 ¹
1362129 ¹	Transmission upgrade - specify <i>Eaton Fuller 16210C</i> ¹	\$419.00 ¹
1362186 ¹	Transmission upgrade - specify <i>Eaton Fuller 17210C</i> ¹	\$484.00 ¹
GU 64k PKG ¹	64,000 lb. GVW package <i>Includes: 20k Front Axle, 44k Rear Axle Granite Model Only</i> ¹	\$15,835.00 ¹
Single Axle ¹	GVWR upgrade - specify	\$5,033.00
	GVWR upgrade - specify <i>Deduct for Single Axle</i> ¹	(\$6,000.00) ¹
	GVWR upgrade - specify	NA
	GVWR upgrade - specify	NA

VEHICLE:	AN or G Series			
DEALER:	Nextran	Nextran	Nextran	Nextran
ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$101,132.00	\$101,132.00	\$101,132.00	\$101,132.00

	GVWR upgrade - specify	NA
	Bi-fuel model - specify	NA
	CNG prep - specify	NA
	CNG conversion (discuss with dealer)	NA
	LPG conversion (discuss with dealer)	NA
	Allison 4000RDS Auto Transmission to include synthetic oil, TES 295 or approved equivalent	NA
1364540 ¹	Allison 4500RDS Auto Transmission to include synthetic oil, TES 295 or approved equivalent <i>Allison 4500 RDS¹</i>	\$12,460.00 ¹
1362135 ¹	Fuller RTLO16908LL 10-speed, or approved equivalent, to include synthetic oil	\$1,609.00 ¹
1362158 ¹	Fuller RTLO16913 13-speed, or approved equivalent, to include synthetic oil	\$1,413.00 ¹
1362160 ¹	Fuller RTLO16918 18-speed, or approved equivalent, to include synthetic oil	\$1,855.00 ¹
3303003 ¹	5th Wheel - 36" air slide	\$378.00 ¹
GU DBL ¹	Double Frame: full steel insert <i>Granite Model Only¹</i>	\$1,840.00 ¹
	Front Axle: 14,000 lb rating to include equal capacity steering gear and springs	NA
2541507 ¹	Front Axle: 14,600 lb rating to include equal capacity steering gear and springs	\$963.00 ¹
2401501 ¹	Front Axle: 20,000 lb. rating to include equal capacity steering gear and springs <i>Granite Model Only¹</i>	\$6,770.00 ¹
1861508 ¹	Rear Axle: 46,000 lb Arvin Meritor, Eaton, Mack, or equivalent	\$2,652.00 ¹
	Rear Suspension: 40,000 lb air ride	Std
2682010 ¹	Rear Suspension: 46,000 lb Chalmers, Hendrickson, Mack, Volvo "T" ride or equivalent	\$2,652.00 ¹
	Rear Suspension: 46,000 lb air ride <i>Included with 1861508¹</i>	Std ¹
NEX AHAR ¹	Headrack: Aluminum w/jailhouse window, (2) chain boxes, locking chain racks	\$1,700.00 ¹
NEX WKL B ¹	Hydraulic Wet Line Kit for Low Boy application <i>Manual Transmission¹</i>	\$7,000.00¹
NEX WKSLD ¹	Hydraulic Wet Line Kit for trailer dump application <i>Manual Transmission¹</i>	\$6,000.00 ¹
NEX WKZLWF ¹	Hydraulic Wet Line Kit for transfer trailer/or walking floor <i>Manual Transmission¹</i>	\$7,000.00 ¹
2902072 ¹	Dual fuel tanks, or equivalent <i>175 Gallon Combined Capacity¹</i>	\$549.00 ¹
	Cab suspension - air ride	Std
	Nitrogen filled tires including spare tire	NA
2540401 ¹	Driver controlled differential lock	\$953.00 ¹
1570001 ¹	Optional equipment - specify <i>Exterior Visor¹</i>	\$243.00 ¹
1919007 ¹	Optional equipment - specify <i>PTO Prep Kit¹</i>	\$224.00 ¹

VEHICLE:	AN or G Series			
DEALER:	Nextran	Nextran	Nextran	Nextran
ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$101,132.00	\$101,132.00	\$101,132.00	\$101,132.00

1861516 ¹	Optional equipment - specify <i>Mack Twin-Y Rear Suspension</i> ¹		\$2,979.00 ¹
267/250 3000 ¹	Optional equipment - specify <i>All Aluminum Wheels</i> ¹	✓	\$564.00 ¹
Full Aero PKG ¹	Optional equipment - specify <i>Full Aerodynamic Package. Includes: Roof Fairing, Side Shields, Side Skirts</i> ¹		\$3,434.00 ¹
mDrive Wetline ¹	Optional equipment - specify <i>Wetline kit for mDrive. Includes: PTO</i> ¹		\$8,113.00 ¹
Allison Wetline ¹	Optional equipment - specify <i>Wetline kit for Allison 4500 Transmission</i> ¹		\$7,800.00 ¹
0042106 ¹	Optional equipment - specify <i>Custom Interior</i> ¹		\$350.00 ¹
2791300 ¹	Optional equipment - specify <i>Chrome Front Bumper</i> ¹	✓	\$259.00 ¹
2931000 ¹	Optional equipment - specify <i>Davco 382 Fuel Filter</i> ¹		\$381.00 ¹
PI64T ¹	Optional equipment - specify <i>Set Forward Option</i> ¹	✓	\$2,000.00 ¹
PTO ONLY ¹	Optional equipment - specify <i>PTO Only</i> ¹		\$2,800.00 ¹
1305011 ¹	Optional equipment - specify <i>Dual Exhaust</i> ¹		\$1,581.00 ¹
2681030 ¹	Optional equipment - specify <i>52,000 Rear Axle. Granite Model only. Must include order Code GU 64K Pkg</i> ¹		\$5,033.00 ¹
	Optional equipment - specify		NA
	Optional equipment - specify		NA
	Optional equipment - specify		NA
	Optional equipment - specify		NA
	Optional equipment - specify		NA
	Optional equipment - specify		NA
	Optional equipment - specify		NA
	Optional equipment - specify		NA
	Optional equipment - specify		NA
	Temporary tag		Incl.
Transfer ¹	Transfer existing registration (must provide tag number)		\$100.00 ¹
New ¹	New state tag (specify state, county, city, sheriff, etc.)		\$300.00 ¹
	Maintenance Plan - specify		NA
	Maintenance Plan - specify		NA
	Maintenance Plan - specify		NA

VEHICLE:	AN or G Series			
DEALER:	Nextran	Nextran	Nextran	Nextran
ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$101,132.00	\$101,132.00	\$101,132.00	\$101,132.00

3YRS300k ¹	Warranty - specify <i>3 Year, 300,000 Mile Warranty on Mack Engine Plan 2 and Exhaust After Treatment System with Engines Under 460 HP.</i> ¹	\$1,750.00 ¹
4YRS300K ¹	Warranty - specify <i>4 Year, 300,000 Mile Warranty on Mack Engine Plan 2 and Exhaust After Treatment System with Engines Under 460 HP.</i> ¹	\$2,475.00 ¹
5YRS400K ¹	Warranty - specify <i>5 Year, 400,000 Mile Warranty on Mack Engine Plan 2 and Exhaust After Treatment System with Engines Under 460 HP.</i> ¹	\$4,200.00 ¹
	Diesel Warranty - specify	NA
	Diesel Warranty - specify	NA
	Diesel Warranty - specify	NA

TRANSFER TRACTOR
DEPARTMENT: SOLID WASTE

Florida Sheriffs Assn. Bid No. FSA18-VEH16.0
2019 ~~Mack~~ PI64T for Lee County Solid Waste

1/23/2019

BASE VEHICLE: 52,000 LB GVWR CAB & CHASSIS-4X6 TANDEM AXLE TRACTOR (ONLY)
MACK "PI" SERIES "Pinnacle". MFG. STANDARD WHITE. BLACK FRAME & RUN GEAR
BASE No.: SPECIFICATION #14

BASE PRICE:		\$ 154,799.00	\$ 101,132.00
OPTIONS No.	DESCRIPTION	LIST	FSA PRICES
<i>Published Options + Up-Grades to Base</i>			
1001765	Engine Mack MP8-415		\$ 1,999.00
1361326	Transmission: Fuller 165210C		\$ 123.00
WKZLWF	Hydraulic Wetline Kit for Walking Floor Trailer FSA std.		\$ 7,000.00
2540401	Dual Differential Locking Rear Axles		\$ 953.00
1570001	Exterior Sun Visor Painted		\$ 243.00
1919007	PTO Preparation Kit - Factory Prewired		\$ 224.00
PI64T	Set Forward Axle		\$ 2,000.00
267/2503000	4 Rear Aluminum Wheels		\$ 564.00
2791300	Chrome front bumper		\$ 259.00
<i>Un-Published Options</i>		<i>LIST</i>	<i>FSA PRICE</i>
EXMF-BS1	Exhaust: Bright Finish Stack	\$ 93.00	\$ 73.00
1219001	Bug Screen: Black behind Grille	\$ 40.00	\$ 31.00
3180010	Battery Disconnect: Flaming River	\$ 139.00	\$ 108.00
CPPAD-OG	Open Grated Clutch Pedal	\$ 220.00	\$ 171.00
CLAS-MC	Clutch Air Assist	\$ 225.00	\$ 175.00
2401507	Front Axle FXL14.6 14,600# with Taper Leaf Springs	\$ 1,109.00	\$ 864.00
2411105	Front Axle Meritor Brand Brakes	\$ 37.00	\$ 29.00
RACWD-M	Meritor Dual Track/Dana Slectraq Rear Axles w/52" Spread	\$ 720.00	\$ 560.00
2531104	Meritor "S" Cam Rear Axle Brakes	\$ 50.00	\$ 39.00
2886093	93 Gallon 26" Aluminum Round-Type Fuel Tank LH Side	\$ 300.00	\$ 233.00
DRVA-AHC	Auto Drain Valve Main Air Tank, Lanyards on all other	\$ 79.00	\$ 62.00
AUXSW-2	Two (2) Extra, Dash Mounted, Switches, Illuminated	\$ 22.00	\$ 17.00
3303228	Fifth Wheel: Fontaine SL7LWB LH Release 24" Air Slide	\$ 221.00	\$ 172.00
APNOUTC	Aux. In Cab Pneumatic - Line Clean Out	\$ 69.00	\$ 54.00
GEXPYR	Exhaust Pyrometer Gauge	\$ 54.00	\$ 42.00
1540002	Two (2) Rectangular Single Trumpet Air Horns	\$ 103.00	\$ 80.00
1529045	Exterior Mirrors: Bulldog stylized, Heated + Motorized	\$ 490.00	\$ 382.00
AMIR-CLO	Rectangular Convex Proximity Mirror over RH Door	\$ 33.00	\$ 26.00
1963140	Driver Seat: H.Back Air; 4 Chamber Lumbar w/Premium Cov	\$ 538.00	\$ 419.00
9006363	Front Tires: Bridgestone 11R22.5 M853	\$ 282.00	\$ 220.00
9016406	Rear Tires: 4-Bridgestone 455/50R22.5 M835A Super Singles	\$ (62.00)	\$ (49.00)
<i>VENDOR & LOCAL OPTIONS</i>			
	Wetline Kit Configuration and Equip. per Lee Co. Add'l Reqmts.		\$ 3,412.46
	Fender Mtd. 8" Convex Spot Mirrors ea. Side		\$ 195.00
	Chrome Bug Deflector		\$ 421.00
	Merritt Saddle Step Box with Fold Away handle		\$ 950.00
	Parts and Service DVD		\$ 350.00
		SUB TOTAL:	\$ 123,533.46
		Less Additional Discount:	\$ (1,943.92)
		(Tire Tax Credit):	\$ (185.42)
		NET PRICE EACH, TOTAL:	\$ 121,404.12


Matthew Fleming

1/23/19



Lee County Procurement Management
Signatory Authorization Affidavit

Date: 1-28-19 Company Name: Nextvan Truck Centers Ft. Myers ("Company")

AUTHORIZATION: The Affiant warrants the truth and accuracy of this Affidavit to statements hereinafter made. The Affiant acknowledges that it is of critical importance that the individuals signing legally binding documents on the Company's behalf possess the authority to bind the Company so that both parties are bound by the terms of said documents. The Affiant further acknowledges that the Lee County Board of County Commissioners ("County") reserves the right to request supporting documentation regarding signatory authorization, at any time, and a document will be rejected, if it does not comply exactly with the signature authorization requirements.

INSTRUCTIONS: This Authorization Affidavit shall only be executed by the following:

- Corporation: President or CEO
- LLC: Managing Member, if manager-managed LLC or Member, if member-managed LLC
- Sole Proprietor: Owner
- An individual authorized to sign on the Company's behalf as evidenced by internal Company documentation delegating signing authority to that individual. Please attach internal Company documentation, if applicable.


All signatures on this Affidavit must be wet, non-electronic and non-digital original signatures. If you have more than four Authorized Signatories, please duplicate this page. A wet, non-electronic and non-digital original signature is required on each page. The following individuals are hereby authorized, as representatives of the Company identified above, to sign and execute legally binding documents on behalf of the Company.

Authorized Signatory Name	Title
<u>John Schwind</u>	<u>General Manager</u>

By executing this Affidavit, I hereby authorize the individuals shown above to sign and execute legally binding documents on behalf of the Company. I further acknowledge that it shall be the sole responsibility of the Company to provide an updated Signatory Authorization Affidavit, upon any change in signatory authorization, to the County, Attention: Procurement Management Director, 1500 Monroe Street, 4th Floor, Fort Myers, FL 33901.

[Signature] President & CEO 1-28-19
(Signature of Affiant) (Title: President, CEO, Managing Member, Member, Owner) (Date)

John W. Ritchett
(Printed Name of Affiant)



STATE OF Florida
COUNTY OF Union

The foregoing instrument was signed and acknowledged before me this

20 19 who produced the following as identification

28th day of January
Personally Known
(type of identification and number or personally known)

[Signature] Derrick B Rudd Jan 25, 2021
Notary Public Signature Printed Name of Notary Public Commission Number/Expiration



In Progress

Date 10/29/2018
Quote no. NEXT2018000289C117

PINNACLE 64T DAYCAB



Quote For
LEE COUNTY

By
Matt Fleming
NEXTRAN TRUCK CENTER - FORT
MYERS

THE AMERICAN TRUCK
YOU CAN COUNT ON



Customer	LEE COUNTY BOARD OF COMMISSNRS 10550 BUCKINGHAM RD FORT MYERS 339057010 FL	Your ref.	Matt Fleming
Customer no	6448806714	Quote no.	NEXT2018000289C117
Org No		Alternative Id	1
Telephone	2395338929	Date	10/29/2018
Mobile phone		Order Date	
		Last Change	10/24/2018

Model

				Qty	List Price
PINNACLE 64T DAYCAB				1	
Order number					
Price List 2018-08-03					
Delivery Time					
Delivery Address					
Family	ID	S/O	Description		
CUSTOMER/VEHICLE INFO					
CHASSIS (BASE MODEL)	0029570	Standard	PINNACLE 64T DAYCAB		
FINAL ASSEMBLY PLANT	FACT-US6	Standard	Made in Macungie, PA USA		
PRICE BOOK LEVEL	PB1020A	Standard	2020A Pricebook		
VEHICLE MODEL YEAR	A192020	Option	2020 MODEL YEAR		
CUSTOMER FLEET SIZE	MP20001	Standard	DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE BRAND		
ORDER TYPE REQUIREMENTS	M450001	Standard	RETAIL OR STOCK - CUSTOM SPECIFICATIONS		
TYPE OF SERVICE	0130002	Option	MUNICIPAL		
WARRANTY REGISTRATION LOCATION	M981001	Standard	US - WARRANTY REGISTRATION LOCATION		
INITIAL REGISTRATION LOCATION	5051701	Standard	ALL 50 STATES, CARB ENGINE EMISSION (US17)		
LANGUAGE-PUBS/DECAL/SIG NS	5340001	Standard	ENGLISH		
VEHICLE USE & BODY/TRAILER TYPE	0050003	Standard	VAN TRAILER		
TRANSPORT CYCLE	TC-DISTR	Standard	LOCAL DISTRIBUTION		
GROSS COMBINATION WEIGHT	GCW36.0	Standard	80,000 LB (36 TONNES) GROSS COMBINATION WEIGHT		
BRAKE REGULATION	BREG76	Standard	BRAKE REGULATION, STOPPING DISTANCE 76M (250FT)		
TOPOGRAPHY	T-FLAT	Option	GRADES <3% GREATER THAN 98% OF DRIVING DISTANCE MAX GRADE 8%		
AMBIENT TEMP UPPER LIMIT	ATU40	Standard	AMBIENT TEMPERATURE HOT. WARMER THAN 104 F (40 C) ALLOWED UP TO 25 HOURS PER YEAR		
TERRAIN GRADE	0320079	Standard	ON HIGHWAY, STARTING GRADES<16%		

LOADING SURFACE	0330010	Standard	CONCRETE LOADING AND / OR UNLOADING SURFACE		
VEHICLE VOCATION	0340101	Standard	LINEHAUL / LONG HAUL SERVICE		
PILOT INSPECTION	0220000	Standard	NO PILOT REQUESTED		
ENGINE/TRANSMISSIONS					
ENGINE	1001765	Standard	MP8-415C MACK 415HP @ 1400-1700 RPM (PEAK) 1950 RPM (GOV) 1660 LB-FT, US'17		
GEAR SELECTION TUNING	GST-BAS	Standard	BASIC, GEAR-SELECTION TUNING		
SCALABLE ROAD SPEED LIMIT	USCAL	Standard	WITHOUT SCALABLE ROAD SPEED LIMITER		
GHG APPLICATION, VEHICLE	GHG-HIG	Standard	GREEN HOUSE GAS HIGHWAY APPLICATION		
TRANSMISSION	1362128	Option	FULLER FRO-16210C (12.69/0.74)	-6,279.00	
ENGINE GOVERNOR TYPE	EGT-MM	Standard	ENGINE GOVERNOR TYPE MIN-MAX		
EXHAUST/EMISSIONS					
CARB REGULATION DECAL STICKER	CIR0003	Standard	IDLE EMISSION CERTIFICATION, CARB (WITH DECAL LOCATED ON LOWER LH CORNER / DRIVER DOOR		
DPF DIESEL PARTICULATE FILTER	DPF0111	Standard	CLEARTECH ONE BOX E.A.T.S. RH SIDE UNDER CAB US17		
DPF COVER	DPFC-PS	Standard	DPF COVER, PAINTED STEEL		
DEF TANK	DF11170	Standard	18.4 GALLON (70 L) 26" LEFT SIDE FRAME MTD		
DEF TANK COVER	ADTC-P	Standard	PAINTED FINISH DEF TANK COVER		
EXHAUST	1305001	Standard	SINGLE VERTICAL RIGHT SIDE OUTBOARD MOUNTED STRAIGHT EXH STACK TURNED OUT END		
EXHAUST STACK HEIGHT	EXSTH355	Standard	11' 6" FROM GROUND		
EXHAUST - BRIGHT FINISH	EXMF-BS1	Option	SINGLE, BRIGHT FINISH HEAT SHIELD, STACK AND SCR COVER (IF EQUIPPED)	93.00	
EMISSION ON BOARD DIAG CONTROL	EOBD-U18	Standard	EMISSION OBD, DISPLAY ONLY, USA2018		
ENGINE EQUIPMENT					
AIR CLEANER	1250101	Standard	11" x 30" (279 mm x 762 mm) UNDER HOOD SINGLE ELEMENT DRY TYPE W/AIR INTAKE FROM BOTH SIDES OF HOOD		
AIR INTAKE - INSIDE/OUTSIDE	AIS-HDO	Standard	W/O INSIDE/OUTSIDE AIR INTAKE		
BUG SCREEN	1219001	Option	BLACK ALUMINUM MOUNTED BEHIND GRILLE, WITHOUT WINTER FRONT COVER	40.00	
AIR COMPRESSOR	1134100	Standard	MERITOR/WABCO 318 (18.7 CFM)		
COMPRESSOR CAPACITY	1COMP530	Option	MERITOR/WABCO 318 (18.7 CFM)		
ALTERNATOR	1321236	Option	DELCO 12V 160A (24SI)	77.00	
BATTERIES	3165105	Standard	(3) MACK 12V 650/1950 CCA THREADED STUD TYPE		
BATTERY BOX - MOUNTING	3930071	Standard	1 BATTERY BOX (3 BATT CAPACITY) RH SIDE UNDER CAB		
BATTERY BOX COVER	BBOXC-BA	Standard	MOLDED PLASTIC		
EMERGENCY START CONNECTIONS	UESS	Standard	W/O EMERGENCY STARTING RECEPT.		
BATTERY DISCONNECT SWITCH	3180010	Option	FLAMING RIVER BIG SWITCH WIRED TO POSITIVE SIDE	139.00	
STARTER	12STR-S2	Standard	12 VOLT DELCO 39MT-MXT		
ENGINE BRAKE	1100800	Standard	MACK MP8 POWERLEASH		
VEHICLE/TRAILER STOP LAMP APPLICATION (CA)	BRLL-BAS	Standard	VEHICLE AND TRAILER (IF APPLICABLE) STOP LAMPS ACTIVATE UPON SERVICE BRAKE APPLICATION ONLY(3899000)		
FAN DRIVE	1180027	Standard	BEHR FAN AND ELECTRONIC MODULATING VISCOUS FAN DRIVE		

COOLANT PROTECTION	1192002	Standard	CHEVRON FULLY FORMULATED COOLANT W/ NITRATES (50/50 MIX DYED PINK) TO -34DEG	
COOLANT FILTER / CONDITIONER	COOL-FIL	Standard	MACK COOLANT CONDITIONER	
COOLING PERFORMANCE	5081005	Standard	STANDARD COOLING PERFORMANCE	
HOSES - RADIATOR/HEATER	1240003	Standard	MACK BRAND EPDM RADIATOR & HEATER HOSES	
FUEL-WATER SEPARATOR	2930001	Standard	MACK W/MANUAL DRAIN VALVE (INTEGRAL W/PRIMARY FUEL FILTER)	
RELOCATE FUEL FILTER (CA)	FPP-STD	Standard	STANDARD FUEL FILTER POSITION	
FUEL HEATER (CA)	UFUEQWH	Standard	W/O FUEL HEATER	
OIL PAN	OILS-ST	Standard	OIL PAN	
ENGINE BLOCK HEATER	UEBHEAT	Standard	W/O ENGINE HEATER	
ENGINE OIL PAN HEATER	UOPHEAT	Standard	W/O OIL PAN HEATER	
OIL SYSTEM	UENGDRFL	Standard	W/O OIL CHANGE SYSTEM	
TETHER DEV PKG, CAPS & COVERS	TDCC-P1	Standard	FURNISH CAP RETAINER FOR OIL FILL & RADIATOR OVERFLOW TANK	
ENGINE STARTING AID	UESTAID	Standard	W/O ENGINE COLD START AID	
CLUTCH/TRANS EQUIPMENT				
GEAR SHIFTER	4922010	Option	EATON/FULLER SHIFTER	
CLUTCH	1335503	Option	EATON ADVANTAGE EZ-PEDAL 9-SPRING,2PLATE 15.5" CERAMIC 6 PADDLES, MANUAL ADJUST	-94.00
CLUTCH PEDAL	CPPAD-OG	Option	OPEN GRATED TYPE	19.00
CLUTCH ASSIST (AIR)	CLAS-MC	Option	MECHANICAL CABLE	220.00
CLUTCH RELEASE HOSE	ULBLINE	Option	W/O LUBRICATION FITTING OPTION	
ENGINE START CONDITION	UESC	Standard	W/O CLUTCH STARTING SWITCH OPTION	
DRIVELINE - MAIN	1951102	Standard	MERITOR RPL25 W/PERMALUBE U-JOINTS	
DRIVELINE - INTERAXLE	2041101	Standard	MERITOR RPL20 W/PERMALUBE	
DRIVESHAFT GUARD	UPSBG	Standard	WITHOUT DRIVESHAFT GUARD FOR CENTER BEARING	
DRIVESHAFT MAIN U-JOINT	PSMUJ-HR	Standard	UNIVERSAL JOINT HALF-ROUND TYPE	
DRIVESHAFT INTERAXLE U-JOINT	PSIUJ-HR	Standard	HALF-ROUND UNIVERSAL JOINT	
TRANSMISSION OUTPUT TORQUE	TTOR-B	Standard	TRANSMISSION OUTPUT TORQUE BASIC	
TRANSMISSION BELL HOUSING	BELLH-AL	Standard	ALUMINUM	
LUBRICANTS, TRANSMISSION	LUBET-SN	Standard	SYNTHETIC OIL IN TRANSMISSION	
TRANSMISSION OIL COOLER	1390001	Option	TRANS OIL COOLER (INTEGRAL OIL PUMP)	
TRANSMISSION OIL MONITORING	UTOMRF	Standard	WITHOUT TRANSMISSION OIL MONITORING, REMOTE FITTING	
TRANSMISSION TORQUE CONVERTER	4420000	Option	W/O TRANS TORQUE CONVERTER	
GRADE GRIPPER	UHILLST	Option	W/O GRADE GRIPPER	
FRONT AXLE EQUIPMENT				
FRONT AXLE	2401507	Option	14600# (6600 KG) MACK FXL14.6 STRAIGHT SPINDLE/UNITIZED BEARINGS	1,109.00
SPRINGS - FRONT	2441002	Option	MACK TAPERLEAF 14600# (6600 KG) GROUND LOAD RATING	
BRAKES - FRONT	2411105	Option	MERITOR "S" CAM TYPE 16.5" x 6" Q+	37.00
BRAKE LININGS - FRONT	BLMF-M12	Option	MERITOR MA-1501 (TANDEM TRACTOR)	
BRAKE DRUMS - FRONT	BF-DRCAS	Standard	CAST IRON	
DUST SHIELDS - FRONT	UFBRDUST	Standard	OMIT FRONT DUST SHIELDS	
SLACK ADJUSTERS - FRONT	FBADJ-AH	Standard	HALDEX - AUTOMATIC	
BRAKE CHAMBERS - FRONT	FBCM-MGM	Option	FRONT BRAKE CHAMBER MANUFACTURER, MGM	
BRAKE CHAMBER SIZE - FRONT	FBCS24	Standard	FRONT BRAKE CHAMBER 24SQ INCHES (SERVICE)	

HUB CAPS - FRONT	HUBC-UNI	Standard	STANDARD FRONT HUB CAPS		
HUBS - FRONT	HUBF-BAS	Option	FERROUS	-64.00	
SPINDLE NUTS - FRONT	SPNF-BAS	Standard	STANDARD FRONT SPINDLE NUTS		
STEERING	2452215	Option	SHEPPARD HD94 INTEGRAL POWER	139.00	
LUBRICANTS -FRONT AXLE	LUBEF-PS	Standard	PETROLEUM/SYNTHETIC (50/50) OIL FRONT AXLE		
REAR AXLE EQUIPMENT					
REAR AXLES - TANDEM	2682114	Option	40000# (18100kg) MERITOR MT40-14X4D HYPOID (LOW ENTRY)		
WIDE TRACK AXLE OPTION	RACWD-M	Option	MERITOR DUAL TRACK / DANA SelectTTrac AXLE OPTION	720.00	
LUBE PUMP, REAR AXLE	URALUBEP	Standard	W/O LUBE PUMP AND FILTER		
CARRIER - REAR AXLE	0180000	Standard	VENDOR CARRIER		
REAR AXLE RATIO	RAT4.11	Option	4.11 RATIO		
REAR SUSPENSION - TANDEM	1861515	Standard	MAXLITE 40 EZ (GEN 2) 40000#		
TRUNNION BUSHING	URSB	Option	W/O OPTION		
REAR AXLE BREATHERS	UBREF	Standard	WITHOUT BREATHER FILTER RELOCATION		
BOGIE SPREAD, REAR	BSR1320	Standard	52" AXLE SPACING (BOGIE WHEELBASE)		
SUSPENSION LEVELING DEVICE	SUSPL-E	Standard	ELECTRICAL REGULATION LEVELING DEVICE		
SUSPENSION PRESSURE DETECTION	USPDLOAD	Standard	WITHOUT SUSPENSION PRESSURE DETECTION		
AIR SUSPENSION DUMP WARNING	ASD-SLW	Option	AIR SUSPENSION DUMP, SPEED LIMITED, WARNING INDICATOR & BUZZER		
SHOCK INSULATORS	URSI	Standard	W/O SHOCK INSULATORS		
SHOCK ABSORBERS - REAR	RSHABS	Standard	SHOCK ABSORBERS - OUTBOARD MOUNTED ON FORWARD AND REAR AXLES EACH SIDE		
TRANSVERSE TORQUE RODS	TTR-AD	Standard	TRANSVERSE TORQUE ROD - ALL AXLES		
AUX.SPRING BRAKE QTY	2370002	Option	AUX SPRING BRAKE QTY, 4 CHAMBERS		
BRAKES - REAR	2531104	Option	MERITOR "S" CAM 16.5"x7" Q+	100.00	
REAR BRAKE LINING	BLMD-M8	Option	MERITOR SOR2003 (TANDEM TRACTOR)		
BRAKE DRUMS - REAR	BR-DRCAS	Standard	CAST IRON		
SLACK ADJUSTERS - REAR	RBADJ-AH	Standard	HALDEX - AUTOMATIC		
DUST SHIELDS - REAR BRAKE	UDBRDUST	Standard	OMIT REAR DUST SHIELDS		
REAR BRAKE CHAMBER SIZE	RBCS3030	Standard	REAR SPRING BRAKE CHAMBERS 30/30 TYPE		
REAR BRAKE CHAMBER MFG.	3009005	Option	MGM MODEL TR-T; TAMPER-RESISTANT BRAKE CHAMBERS	116.00	
HUBS - REAR	HUBD-PIS	Option	IRON PRESET REAR HUB W/INTEGRATED SPINDLE NUT PREMIUM	-43.00	
OIL SEALS - REAR	HOSD-PRE	Standard			
REAR AXLE SPINDLE NUT	SPNM-INT	Standard	SPINDLE NUTS, MAIN AXLE, INTEGRATED		
POWER DIVIDER LOCKOUT	DLS-BL	Standard	POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT		
LUBRICANTS, REAR AXLE(s)	LUBER-PE	Standard	FACTORY OPTION LUBE - REAR AXLE		
TRACTION DIFFERENTIAL	2540401	Option	DRIVER CONTROLLED INTER WHEEL DIFFERENTIAL LOCK ALL RR AXLES, MANUAL AIR VALVE W/WARNING LIGHT.	1,392.00	
ABS SENSOR/CHANNEL OPTION	ABS4S4M	Standard	4S/4M SYSTEM REAR WHEEL END SENSORS		
ANTILOCK BRAKE SYSTEM	6982000	Standard	MACK ROAD STABILITY ADVANTAGE BENDIX ABS/ATC/ESP W/YAW CONTROL		
AIR SYSTEM VALVE VENDOR	BRV-V4	Standard	BENDIX SWITCHES AND VALVES WHERE POSSIBLE		

TRACTION CONTROL DISABLE	UTCD	Standard	W/O AUTOMATIC TRACTION CONTROL (ATC) DISABLE SWITCH		
SPRING BRAKE INVERSION VALVE	USBRAIV	Standard	WITHOUT SPRING BRAKE INVERSION VALVE		
FRAME EQUIPMENT/FUEL TANKS					
WHEELBASE	2710213	Option	213"	141.00	
AF (OVERHANG)	3740056	Standard	56"		
FRAME RAILS	2741024	Option	STEEL - 266MM X 90MM X 8MM (10.47" X 3.54" X .31")	246.00	
BOLT ON FRONT FRAME EXTENSION	UFFE	Standard	W/O FRONT FRAME EXTENSION		
FRONT FRAME LENGTH	FFL0745	Standard	Standard Bumper Position		
CROSSMEMBERS	2811000	Standard	STEEL		
CROSSMEMBERS BEHIND REAR AXLE	UACMR	Standard	W/O OPTIONAL CROSSMEMBERS BEHIND REAR AXLE/BOGIE		
REAR CROSSMEMBER OPTIONS	RXM-TAPT	Standard	FOR USE W/TAPERED & FLANGED FRAME ENDS (28 DEG) W/BUILT IN TAIL LAMPS		
TAPERED FRAME RAIL ENDS	RF-TA28T	Standard	FURNISH TAPERED & FLANGED FRAME RAIL ENDS (28 DEG) FOR USE W/BUILT IN TAIL LAMPS		
MUD FLAP BRACKETS	URMUFLA	Standard	W/O REAR MUD FLAP HANGER BRKTS		
MUD FLAP TYPE, REAR AXLE	URMUFD	Standard	W/O REAR MUD FLAPS		
MUD FLAP, FRONT AXLE	FMUD-BAS	Standard	BLACK POLYARMOUR (NO NAME TO APPEAR ON FLAP) (NOT ANTI-SPRAY TYPE)		
FRONT BUMPER	BUM-SSBF	Standard	FLUSH-STAINLESS CLAD ALUMINUM		
RADIATOR GUARD	UCGUARD	Standard	W/O RADIATOR GUARD		
TOWING DEVICE, FRONT	TDF2CLEV	Standard	(2) CLEVIS		
PINTLE HOOK	UCOUPIN	Standard	W/O REAR TOWING DEVICE		
TOWING DEVICE, REAR	UTOWR	Standard	W/O REAR TOWING DEVICE		
TOOL BOX	UTOOLB	Standard	W/O TOOL BOX		
FUEL LEVEL SENDER UNIT, LIQUID	FLS-BASL	Standard	BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK		
FUEL TANK - LH	2882093	Standard	93 GALLON (350 L) 26" ALUMINUM ROUND		
FUEL TANK - RH	2900000	Option	W/O RH FUEL TANK	-535.00	
FUEL TANKS - BRIGHT FINISH	UFTNKPOL	Standard	W/O BRIGHT FINISH FUEL TANKS		
FUEL LINE MATERIAL	FHOS-BAS	Standard	NYLON TUBE		
FILLER NECK SCREENS	8520000	Standard	W/O FILLER NECK SCREEN OPTION		
FUEL SYSTEM - DUAL	FLI-SING	Option	W/O FUEL LINE OPTION	-109.00	
FUEL TANK CAP	FCAP-UL	Standard	NON-LOCKABLE FUEL TANK CAP		
FUEL TANK MODIFICATION (CA)	4560000	Standard	W/O FUEL TANK MODIFICATION OPTION		
CAB ACCESS STEPS	CSTEP-BA	Standard	STANDARD 2 STEP CAB ACCESS		
STEPS (BRIGHT) - FUEL TANK	2230002	Option	STANDARD FINISH STEPS AND BRIGHT FINISH STRAPS		
ISOLATE TANK FROM FUEL SYSTEM	UHYTP	Standard	W/O ISOLATED TANK(S)		
QUARTER FENDERS	4640000	Standard	W/O QUARTER FENDERS		
AIR/BRAKE					
AIR DRYER	AIRM-W13	Standard	WABCO 1200P W/TURBO CUT OFF VALVE, W/COALESCING OIL FILTER, HEATED		
AIR TANK DRAIN VALVE	DRVA-AHC	Option	AUTO DRAIN VALVE, HEATED, ON SUPPLY TANK, W/LANYARDS ON ALL OTHER TANKS	79.00	
AIR RESERVOIRS	ATANK-ST	Standard	STEEL		
AIR DRYER POSITION (CA)	ADP-STD	Standard	W/O RELOCATION OPTION		
RELOCATE AIR RESERVOIRS	1410000	Standard	W/O RELOCATED AIR TANKS		
INCREASE AIR CAPACITY	UAUXATNK	Standard	W/O INCREASED AIR RESERVOIR CAPACITY		

PARK BRAKE ALARM	UPARKAL	Standard	W/O PARK BRAKE ALARM	
PARKING BRAKE VALVE	PBV-YR	Standard	TWO (2) VALVE DUAL BRAKE SYSTEM - TRAILER SUPPLY AND TRACTOR-TRAILER PARK	
ELECTRICAL				
BACK-UP ALARM	UBUPALAR	Standard	WITHOUT BACK-UP ALARM	
DASH MOUNTED SWITCHES	AUXSW-2	Option	TWO (2) EXTRA DASH MOUNTED ILLUMINATED SWITCHES	22.00
FOG LAMPS	UFOGLAMP	Standard	WITHOUT FOG LAMPS	
MARKER/DIRECTIONAL SIGNAL	MARKD-NA	Standard	W/O MARKER/DIR SIGNAL OPTION	
ROOF MARKER LIGHT	3120010	Standard	(5) TRUCKLITE LED CHROME BULLET TYPE LAMPS	
WARNING LAMP	UWARNLIG	Standard	WITHOUT WARNING LIGHTS	
AUXILIARY LAMPS	UAUXL	Standard	W/O AUX LAMP PROVISIONS	
AUXILIARY SPOTLIGHT (CA)	UASL	Standard	W/O SPOTLIGHT	
DAYTIME RUNNING LIGHTS	LOWB-DA7	Standard	PARK BRAKE AND ENGINE RUNNING ACTIVATED	
TAIL LAMPS	TL-LED2	Standard	LED STOP & TAIL LAMPS W/BACKUP LAMP & LICENSE PLATE MTD IN TAPERED CROSSMEMBER	
WORK LIGHTS - CHASSIS MOUNTED	UCHAWL	Standard	W/O WORK LIGHTS	
TRAILER CONNECTIONS				
FIFTH WHEEL	3303228	Option	AIR - FONTAINE SL7LWB SERIES, LH RELEASE	221.00
FIFTH WHEEL MTG ANGLES/DRILLING	5WM-SLID	Standard	SLIDING 5TH WHEEL MTG, 24" TRAVEL	
FIFTH WHEEL ANGLE MATERIAL	FWAM-ST	Standard	STEEL FIFTH WHEEL ANGLES	
FIFTH WHEEL ANGLE THICKNESS	5WAT10	Standard	5TH WHEEL ANGLE, 10MM THICKNESS	
FIFTH WHEEL OFFSET	FWPN660	Standard	50" BOGIESPREAD = -1" OFFSET, 52" BS = 0", 54" BS = 1", 55" BS = 1.5", 4x2 = - 26"	
FIFTH WHEEL GUIDE RAMPS (CA)	URAMP	Standard	W/O FIFTH WHEEL GUIDE RAMPS	
GRD.TO TOP OF FIFTH WHEEL	G5WH1195	Option	1195MM (47") GROUND TO 5TH WHEEL TOP HEIGHT	
FIFTH WHEEL LEG-HEIGHT (KAX Result)	5WH210	Option	210MM (8.26"), FIFTH WHEEL LEG-HEIGHT (SELECTED BY KAX)	
TRAILER GLAD HAND COUPLINGS	TBC-NA	Standard	GLAD HAND COUPLINGS - NORTH AMERICAN STD	
HAND CONTROL VALVE	TRBRAKE1	Standard	HAND CONTROL VALVE FOR TRAILER BRAKES W/ AIR CONNECTIONS OR SERVICE BRAKES W/O AIR CONNECTIONS	
TRAILER CONNECTIONS	TBCP-BOC	Standard	TRAILER AIR BRAKE CONNECTIONS, BACK OF CAB	
TRAILER ACCESS PACKAGE	RDECK-SL	Standard	LOW PROFILE DECK PLATE	754.00
HEAVY-DUTY POWER CIRCUIT	UERAP	Standard	W/O HEAVY-DUTY POWER CIRCUIT	
HOSE TENDER/TOWEL BAR	HH-PTCK	Standard	HOSE TENDER, POGO STICK (CHASSIS MOUNTED)	
TRAILER ELECTRICAL RECEPT	3219010	Option	SAEJ560 & ISO3731 TRL RCPT. BOC W/CMN CTR PINS; GND-WHT & TRLABS-BLUE + SPARE-YLW	135.00
TRAILER AIR HOSES	TBH-COL2	Option	TRAILER AIR HOSES (16 FT COILED TYPE)	54.00
TRAILER HOOKUP LIGHT	3229022	Option	SINGLE TRUCKLITE SUPER-44 LED, RECESSED LHS BOC W/RUBBER GROMMET (TLR HOOK-UP	92.00

TRAILER ELECTRICAL CORD	TECC2COL	Option	15' COIL PHILLIPS PRIMARY & AUX. TRAILER CORDS; ROUTE UP CAB/SLEEPER TO TOWEL BAR/POGOSTICK	158.00
TRAILER CONNECTORS HOLDER	TCH2A2E	Option	PHILLIPS #15-042 COUPLING 2 PLUG HOLDER	16.00
LOAD LOCK BRACKETS	ULOADLOK	Standard	W/O OPTIONAL SLEEPER BOX REINFORCEMENT	
PTO				
HYDRAULIC PUMP	8260000	Standard	WITHOUT HYDRAULIC PUMP	
REAR ENGINE PTO	4160000	Standard	WITHOUT REAR ENGINE POWER TAKE OFF	
PTO - CONTROL	PTOTC1PK	Option	TRANSMISSION PTO SWITCH AND LIGHT WITH WIRING AND PIPING FOR LOCAL INSTALLATION	224.00
NEUTRAL CONTROL	UPTOTNC	Standard	W/O NEUTRAL CONTROL	
TRANSMISSION MOUNTED PTO	1890000	Option	W/O TRANSMISSION MOUNTED PTO	
BODY BUILDER INTERFACE	B830000	Standard	W/O BODY BUILDER INTERFACE	
SPECIALTY EQUIPMENT				
FRAME MODIFICATIONS	0150000	Standard	NO FRAME MODIFICATIONS PROVIDED	
AUXILIARY TRANSMISSION (CA)	UAUXTRAN	Standard	WITHOUT AUXILIARY TRANSMISSION	
POWER TOWER MOUNTING (CA)	UATLOC	Standard	WITHOUT AUXILIARY TRANSMISSION LOCATION	
ON BOARD SCALES (CA)	OBS0000	Standard	W/O ON BOARD SCALES	
AIR UNLOAD SYSTEM	UBULKUA	Standard	WITHOUT AIR UNLOAD SYSTEM	
COLLISION WARNING SYSTEM	5480000	Standard	W/O COLLISION WARNING SYSTEM	
SPEED LIMIT SIGN RECOGNITION	USPDSG NR	Standard	WITHOUT LIMIT SPEED SIGN RECOGNITION	
ACC TIME GAP CONFIG SETTING	UACCTG	Standard	WITHOUT TIME GAP SETTINGS	
CWS VOLUME LEVEL	M320000	Standard	WITHOUT CWS VOLUME LEVEL	
LANE DEPARTURE SYSTEM	ULSS	Standard	WITHOUT LANE SUPPORT SYSTEM	
UNIQUE DECALS MACHINE DIRECTIV (CA)	USIGNSWC	Standard	W/O SPECIAL DECALS	
CAB INTERIOR (A THRU G)				
GAUGES - UNIT OF MEASURE	1980001	Standard	U.S. UNITS (PREDOMINANT)	
GAUGE - PACKAGE, SECONDARY	U2GAUGE	Standard	WITHOUT SECONDARY GAUGE PACKAGE	
GAUGE - TRANSMISSION OIL TEMP	UGOTTR	Standard	WITHOUT TRANSMISSION OIL TEMP GAUGE	
GAUGE - EXHAUST PYROMETER	GEXPYR	Option	EXHAUST PYROMETER GAUGE	54.00
GAUGE - REAR AXLE OIL TEMP	UGOTRA	Standard	WITHOUT REAR AXLE OIL TEMPERATURE GAUGE	
GAUGE - MANIFOLD PRESSURE	UGPMFOLD	Standard	W/O MANIFOLD PRESSURE GAUGE	
GAUGE - SERVICE TRAILER BRAKE PRESSURE	UBPAG	Standard	WITHOUT BRAKE PRESSURE APPLICATION GAUGE	
GAUGE - REAR AIR SUSP PRESSURE	UGPRAS	Standard	WITHOUT REAR AIR SUSPENSION GAUGE	
AUX.INCAB PNEUMATIC LINE	APNOUTC	Option	AUX. INCAB PNEUMATIC LINE CLEANOUT	69.00
AIR CONDITIONING/HEATER	1731002	Standard	BLEND AIR HVAC W/ATC* TEMP REGULATION	
AIR RESTRICTION INDICATOR	UAIRRI	Standard	WITHOUT AIR RESTRICTION INDICATOR	
DOME LAMP, INTERIOR	DL-BS2R	Standard	(4) DOME LAMPS - DOOR AND SWITCH ACTIVATED	
FIRE EXTINGUISHER	7860007	Option	5LB (ABC RATED/AMEREX) MOUNTED BETWEEN LH SEAT BASE AND DOOR WITH VALVE AIMED REARWARD	95.00
FLOOR COVERING	1840007	Standard	POLYURETHANE FLOOR MAT	

Lee County Solid Waste (LCSW) PTO Specification

Premium Muncie TG Series Power Take Off System. PTO system shall meet the following specification and may be inspected by Lee County, at dealer location, prior to scheduling delivery.

Premium Muncie Power Take-Off System **MUST** be installed and configured in accordance with the current LCSW design. Installation and/or configuration variances will be corrected by the dealer at no additional cost to LCSW. Dealer is advised and urged to inspect the PTO installation and configuration on the existing 6x4 road tractors prior to installation and delivery. To ensure proper installation, the PTO systems on the existing LCSW 6x4 road tractors will be made available for inspection by the dealer by appointment only.

Below is a summary of critical items that must be included and/or addressed to meet this specification:

- # CJ3576 - 55gal epoxy coated & high impact undercoated steel hydraulic tank; vented with sight glass/temperature gauge installed.
- Hydraulic tank mounting brackets & straps are to be coated with high impact undercoating.
- All hoses secured with clamps must be secured using heavy duty constant pressure clamps.
- ON & OFF valves for the hydraulic tank must be heavy duty high pressure ball valves.
- Any blind plugs used must be a single plug.
- All wire ties used must be heavy duty – resists weather & UV.
- Hydraulic tank must be filled to 75% or to the 3/4 full mark.
- # FHP-50044A – Single filter 10 micron spin on type on the return side.
- # 6105-20 - Parker hyd. nipple
- # 6125-16 - Parker hyd. wing-nut coupler
- # MNTG8BU6808P1PX – Muncie Kit
- # MNHKCKU2129 – Hose Kit
- # MN20010043CK17 – Combo Kit
- # MNASCS105 – Air Console Kit
- # MN13MK5701 – Gasket Kit
- Return hoses from filter/tank to valves/couplers – inside diameter (ID) must be 1.5"
- PTO control tower to be mounted with grade 8 bolts and self locking nuts.
- ALL Hydraulic Nipples, hydraulic hose connections, air connections or any type of threads must be sealed with (*LOCTITE 545 SEALANT*;) ****DO NOT USE ANY TEFLON SEALANT ON ANY HYDRAULIC CONNECTIONS! ****
- PTO diverter valve shall be mounted on the passenger side rear of cab 24" above deck plate.
- PTO must be integrated & communicate to truck ECM. – When PTO is engaged the following functions must be enabled;
 - PTO warning light must activate.
 - PTO warning buzzer must activate.
 - Road speed MAX 10-MPH - PTO must disengage if speed exceeds 10-MPH.
 - Engine RPM MAX 1400-RPM – PTO must disengage if RPMs exceed 1400.
 - PTO percentage of load shall be set between 10-15% to ensure idle shut down when empty.
 - PTO must activate via switch on dash and RPMs controlled via cruise control and/or accelerator pedal.
- If truck comes with one fuel tank - hydraulic tank must be mounted to the opposite side of truck where fuel tank is mounted for proper weight distribution.

PLEASE LIST ANY REQUIRED MODIFICATIONS or MFG. LIMITATIONS: Wetline Kit to be installed by Nextran Fort Myers per quotation of these specifications. P104T model

Supplemental Specification Sheet for - 6x4 Road Tractors

Quoted Trucks will meet the vehicle specifications as provided and include the following items and modifications.

Please confirm the following dealer installed and/or specification clarifying items:

1. Service and parts manuals will be provided on CD OK; hard copy____; or web based____?
2. Dual purpose Wetline Kit: Walkingfloor & Dump Trailer (PTO) will comply with County specifications? OK. (Current PTO spec sheet is attached below)
3. Dealer has inspected existing trucks & confirmed placement and configuration of PTO system OK.
4. Fifth wheel to be Fontaine SL7LB Series with 9.75" height above frame. OK.
5. Brake air hoses to be Phillips "Power Grip Hoses" model #11-3150 OK.
6. Phillips #15-042 Two Plug, Two Glad-hand Holder "Hose Tender" OK.
7. POGO stick with heavy-duty mounting OK.
8. Provide 3 sets of keys OK.
9. Step/Toolbox: Merritt part #462 W/Fold-down handle, part#3518 or approved equivalents. OK.
10. Deck Plate Package between cab & fifth wheel. (2) #054-00221 & (1) #054-00220 or approved OK.
11. Deck plates will be flush mounted using (3) hardware kits #051-00077 OK.
12. Exhaust pipe to be turned out 45° from cab OK.
13. Electronic parameters included in Manufacture specification will be set County specifications prior to delivery OK.

Nextran Truck Center

per quotation P164T



Matthew Fleming

Account Manager